



## Washington\* Forest Biomass Supply Estimate by County<sup>†</sup>

Philip S. Cook and Jay O'Laughlin<sup>‡</sup>

January 24, 2011

---

\* Similar estimates are available for other western states, and a final project report cited often herein provides details on methods and assumptions that were used by U.S. Forest Service and University of Idaho researchers to develop these estimates (see Cook and O'Laughlin 2011, in **References Cited** section on page 6).

<sup>†</sup> Estimates for sustainable supplies of forest biomass (i.e., forest health or fire hazard reduction thinning and logging residues) for public and private lands at roadside prices of \$10 to \$40 per dry ton by \$5 increments, plus unused mill residues. This information was originally prepared in December 2009 by the University of Idaho's College of Natural Resources for the Western Governors' Association in fulfillment of Contract #20108-0840.

<sup>‡</sup> Philip S. Cook is Research Associate, Policy Analysis Group, College of Natural Resources, University of Idaho, Moscow; Jay O'Laughlin is Professor of Forestry and Policy Sciences, and Director, Policy Analysis Group, College of Natural Resources, University of Idaho, Moscow. Dr. O'Laughlin is co-chair of the Woody Biomass Utilization and Energy Production Subcommittee for the Western Governors' Forest Health Advisory Committee. He also chairs the Forestry Task Force for the Idaho Strategic Energy Alliance and is a member of its Carbon Issues Task Force.

Contact authors by phone (208) 885-5776 or e-mail at [pag@uidaho.edu](mailto:pag@uidaho.edu)

## Introduction

County-level forest biomass\* estimates can help states develop wood bioenergy policies and work with local government officials to plan new wood bioenergy facilities. The U.S. Forest Service continues its efforts to improve the forest biomass supply estimates first made available in the “Billion-ton Supply” report (Perlack et al. 2005), and an update is expected in the near future. Meanwhile the forest biomass estimates herein (**Table 1**) fill an information gap and are likely accurate enough for planning purposes. These estimates could be used to supplement U.S. Forest Service CROP (Coordinated Resource Offering Protocol, see USFS 2011) project assessments of near-term supply plans from public lands where such information exists.

**Table 1. Forest biomass supply for western states at roadside prices from \$10 to \$40 per dry ton.**

<i>State</i>	<i>\$10</i>	<i>\$15</i>	<i>\$20</i>	<i>\$25</i>	<i>\$30</i>	<i>\$35</i>	<i>\$40</i>
AZ	75,829	145,672	170,010	222,846	230,036	231,423	231,601
CA	1,904,370	2,733,657	3,155,708	3,425,863	3,538,764	3,569,309	3,602,018
CO	100,120	123,366	197,806	228,948	274,847	300,161	312,104
ID	796,410	853,887	992,527	1,208,995	1,338,801	1,395,282	1,429,463
KS	8,720	8,720	8,720	8,720	8,720	8,720	8,720
MT	646,769	729,152	1,030,913	1,272,212	1,417,237	1,477,018	1,533,464
NE	4,971	4,971	4,971	4,971	4,971	4,971	4,971
NV	4,799	7,791	7,791	7,871	7,871	7,943	7,943
NM	78,314	90,450	143,710	213,109	279,713	292,336	301,716
ND	265	265	265	265	265	265	265
OR	1,339,728	1,466,478	1,541,285	1,585,410	1,611,490	1,618,589	1,648,377
SD	95,407	95,407	97,729	103,466	108,020	108,020	108,020
TX	3,022	3,022	3,022	3,022	3,022	3,022	3,022
UT	37,927	42,887	50,736	77,294	98,360	104,654	116,094
WA	1,152,105	1,274,302	1,360,558	1,467,007	1,517,302	1,550,350	1,606,562
WY	83,644	105,728	126,208	156,919	183,664	196,388	197,171
<b>Total</b>	<b>6,332,399</b>	<b>7,685,757</b>	<b>8,891,960</b>	<b>9,986,918</b>	<b>10,623,082</b>	<b>10,868,450</b>	<b>11,111,511</b>

As illustrated in **Table 1**, west-wide forest biomass supply increases from about 6.3 million dry tons per year at a roadside price of \$10 per dry ton to 11.1 million dry tons at a price of \$40 per ton. Five states contribute most of the available forest biomass: California, Oregon, Washington, Montana, and Idaho. The tables in this report, starting on page 7, provide county-level estimates of forest biomass supply for one of the states in **Table 1**.

---

\* Forest biomass is a category of woody biomass that includes three components: [1] forest thinning (removal of small-diameter trees or brush to reduce hazardous fuels and/or improve forest health conditions), [2] forest residues (logging slash), and [3] mill residues.

## **Limitations**

Before using the county-level tables that begin on page 7, one should know what they do not include. These results are based on U.S. Forest Service assumptions and models that in addition to “sustainability screens” excluded lodgepole pine and spruce-fir forest types from fire hazard thinning because stand-replacing fire is considered the norm in these forest types. Furthermore, moist forests west of the Cascade Range in Oregon and Washington received pre-commercial thinning rather than fire hazard reduction thinning. Further explanation is provided in the **Methods** section below, and in our final project report document (Cook and O’Laughlin 2011).

## **Background**

For several years researchers have been developing and refining estimates of forest biomass supply in the western United States. In 2006, the Biomass Task Force for the Western Governors’ Association (WGA) Clean and Diversified Energy project refined a national estimate of biomass supply from the U.S. Departments of Energy and Agriculture “Billion-ton Supply” report (Perlack et al. 2005) to obtain a west-wide estimate (WGA 2006). In 2008, the 2006 west-wide estimate was refined further to provide state-level supply estimates for western states (WGA 2008). These estimates were compiled from county-level estimates that were not published.

## **Objective**

The objective of this project was to further refine the state-level forest biomass supply estimates for western states (WGA 2008) to county-level estimates, similar to published estimates for Idaho (see O’Laughlin 2009), and make county-level data available to interested parties. The county-level estimates of forest biomass supply are in easily-read tabular format and are reported for public and private lands at roadside prices of \$10 to \$40 per dry ton in \$5 increments. This report is one of several made available by the Western Governors’ Association for individual western states.

## **Methods**

Although WGA (2008) estimates of biomass supply were reported at the state level, the model used to derive the estimates was based on county-level data provided from a U.S. Forest Service (USFS) Forest Inventory and Analysis (FIA) project. We obtained the unpublished, county-level data and spreadsheet model from Dr. Ken Skog of the U.S. Forest Service (Skog et al. 2007). Our county-level forest biomass estimates are derived from the same data using the same methods, models, and results from which the state-level estimates reported by the WGA (2008) were developed. We describe those methods briefly in the following paragraphs. Due to numerous complexities and assumptions of the modeling process used to create both the 2008 and 2006 WGA forest biomass supply estimates, the appropriate sections of each of those reports were appended to the final project report so users of this information would know exactly what they had (see Cook and O’Laughlin 2011, Appendices A and B).

The most important of these assumptions is that biomass removal is a byproduct, or secondary output, of other forest management objectives including forest health treatment, fire hazard reduction work, or the treatment of fuels after logging (see Cook and O’Laughlin 2011, Appendix A, p. 9). In the earlier WGA (2006) study, it was assumed that 50% off the removals would be used for higher-valued products and 50% available for use as fuel (see Cook and O’Laughlin 2011, Appendix B, pp. 16-17).

The later WGA (2008) study allocated a higher proportion of removals to higher-valued products (30 million dry tons ÷ 43 million dry tons = 70%; see Cook and O’Laughlin 2011, Appendix A, p. 10). It should be noted that previous estimation efforts by the WGA (2006) established “sustainability screens” that imposed constraints on forest management activities in order to protect soil productivity, wildlife habitat, biodiversity maintenance, and water quality. These screens reduced the “Billion-ton Supply” estimates for western states by about one-third. In addition, lodgepole pine and spruce-fir forest types were excluded from fire hazard thinning because stand-replacing fire is considered to be the norm in such forest types, and moist forests west of the Cascade Range in Oregon and Washington pre-commercially thinned instead of fire hazard reduction treatment (see Cook and O’Laughlin 2011, Appendix A, pp. 10-13).

Skog et al. (2007) used the USFS’s Forest Inventory and Analysis (FIA) and Timber Products Output (TPO) databases to model forest biomass supply for western states.\* In general, forest biomass in the model comes from four sources: [1] thinning of timberland with high fire hazard, [2] logging residue left behind after anticipated logging operations for conventional products, [3] general thinning on private woodlands, and [4] unused mill residue.†

Skog et al. (2007) modeled fire hazard thinnings using two tools developed by U.S. Forest Service researchers. First they used the Fuel Treatment Evaluator 3.0 (Skog and Miles 2006), applying several screens and treatments (see Cook and O’Laughlin 2011, Appendix A). Then they used the Fuel Reduction Cost Simulator (Fight et al. 2006) to estimate forest hazard thinning biomass quantities that would be available at various prices. Fire hazard thinning treatments were not applied to national forest timberlands in counties in western Oregon and Washington; instead a pre-commercial thinning treatment was applied.

We used the same supply assumptions that Skog et al. (2007) used in their Base Case estimates (WGA 2008; see Cook and O’Laughlin 2011, Appendix A). Fire hazard thinning

---

\* Western states include: Arizona, California, Colorado, Idaho, Kansas, Montana, Nebraska, Nevada, New Mexico, North Dakota, Oregon, South Dakota, Texas, Utah, Washington, and Wyoming.

† Skog et al. (2007) also included biomass from treatment of pinyon-juniper woodlands. However, it is excluded in our analysis because the price at which it enters the model (\$60 per dry ton) is above our range of analysis (\$10 to \$40 per dry ton).

volumes are harvested over a period of 22 years, while private timberland thinning volumes for various purposes are harvested over a period of 30 years. Stumpage prices for fire hazard thinnings and logging residues are \$0 and \$2 per dry ton on public and private lands, respectively, while the cost of chipping biomass is \$8 per dry ton for both public and private lands. There is no cost (\$0) for unused mill residues.

***Difference in modeling method for logging residue.*** One assumption used in estimating the amount of logging residue in the model is that as thinning to reduce fire hazard increases and general thinning on private land increases (including harvesting biomass for fuels) then the extent of traditional timber harvesting operations will decrease along with associated logging residue. Both the WGA 2008 estimates and our estimates account for this reduction in volume by decreasing logging residue used for fuels by one-quarter unit for each unit increase in biomass for fuels coming from new thinnings (WGA 2008, p. 16). However, the method by which we decrease logging residue is different than the way Skog et al. (2007) did, and our method results in slightly different estimates.

The model used by Skog et al. (2007) model divides biomass from thinnings and logging residue into two land ownership categories: public and private. They computed the reduction in logging residue by subtracting one-quarter unit for each new unit of thinning regardless of land ownership. We compute the reduction for public and private land ownerships separately. Despite the differences in computation, our results aggregated at the state level did not differ by more than 4% from the results attained by Skog et al. (2007).

***Dividing “public” categories into federal and state categories.*** Both fire hazard thinning volumes and logging residue volumes are computed and reported by public and private land categories based on model results by Skog et al. (2007). It was our desire to further divide the public category into federal and state categories. We hypothesize that there are differences in the availability of forest biomass based on land ownership. Federal lands contain a greater proportion of public timberlands and timber volumes in western states than state lands do (Smith et al. 2004). However, federal timberlands tend to be managed under objectives and laws that are more restrictive of biomass removal (e.g., timber harvesting) compared to state trust timberlands that generally are managed for revenue production (Cook and O’Laughlin 2000).

Current forest conditions also may make a difference in biomass availability. Because state trust timberlands tend to be actively managed for revenue production, we hypothesize that there is less need to conduct fire hazard thinning operations on state lands compared to federal lands, which tend to be less actively managed (Koontz 1997). An informal survey of state forest land managers generally confirmed this hypothesis. Both of the above hypotheses led us to attempt to divide the “public” estimates into federal and state categories. Our attempts were unsuccessful for a variety of reasons (see Cook and O’Laughlin 2009, Appendix C); therefore, we report the results herein using only “public” and “private” categories.

## References Cited

- Cook, P.S., and J. O'Laughlin. 2000. *Toward Sustainable Forest Management: Part II - The Role and Effects of Timber Harvesting in Idaho*. Report No. 19, Policy Analysis Group, College of Natural Resources, University of Idaho, Moscow. 174 p. Available online at <http://www.cnrhome.uidaho.edu/default.aspx?pid=69353>
- Cook, P.S., and J. O'Laughlin. 2011 (revised). *Forest Biomass Supply Analysis for Western States by County: Final Report to the Western Governors' Association*. Policy Analysis Group, College of Natural Resources, University of Idaho, Moscow. 23 p. Available online at [http://www.nationalbiomassutilization.org/western-states\\_forest-biomass-supply-analysis.pdf](http://www.nationalbiomassutilization.org/western-states_forest-biomass-supply-analysis.pdf)
- Fight, R.D., B.R. Hartsough, and P. Noordijk. 2006. *Users Guide for FRCS: Fuel Reduction Cost Simulator Software*. General Technical Report PNW-GTR-668. U.S. Dept. of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. 23 p. Available online at <http://www.treesearch.fs.fed.us/pubs/21806>
- Koontz, T. 1997. Differences between state and federal public forest management: the importance of rules. *Publius: The Journal of Federalism* 27(1): 15-37.
- O'Laughlin, J. 2009. *Wood Bioenergy: Homegrown Baseload Energy for Idaho*. Report of the Forestry Task Force, Idaho Strategic Energy Alliance, Boise, ID. 95 p. + transmittal letter. Available online at [http://www.energy.idaho.gov/energyalliance/d/forest\\_packet.pdf](http://www.energy.idaho.gov/energyalliance/d/forest_packet.pdf)
- Perlack, R.D., L.L. Wright, A.F. Turhollow, R.L. Graham, B.J. Stokes, and D.C. Erbach. 2005. *Biomass as Feedstock for a Bioenergy and Bioproducts Industry: The Technical Feasibility of a Billion-ton Annual Supply*. Technical Report DOE/GO-102005-2135. U.S. Dept. of Energy, Oak Ridge National Laboratory, Oak Ridge, TN. 59 p. Available online at [http://feedstockreview.ornl.gov/pdf/billion\\_ton\\_vision.pdf](http://feedstockreview.ornl.gov/pdf/billion_ton_vision.pdf)
- Skog, K., et al. 2007. Spreadsheet: Summary WGA 07 July 31 2007 revised 3-2-09.xls. U.S. Dept. of Agriculture, Forest Service, Forest Products Laboratory, Madison, WI. On file with Policy Analysis Group, College of Natural Resources, University of Idaho, Moscow.
- Skog, K., and P.D. Miles. 2006. Fuel Treatment Evaluator 3.0. Techline Issued 06/06, U.S. Dept. of Agriculture, Forest Service, Forest Products Laboratory, Madison, WI. 2 p. Publication is available online at <http://www.fpl.fs.fed.us/documnts/techline/fuel-treatment-evaluator.pdf> however the web-based application tool referenced therein is no longer available.
- Smith, W.B., P.D. Miles, J.S. Vissage, and S.A. Pugh. 2004. *Forest Resources of the United States, 2002*. General Tech. Report NC-241. U.S. Dept. of Agriculture, Forest Service, North Central Research Station, St. Paul, MN. 137 p. [http://nrs.fs.fed.us/pubs/gtr/gtr\\_nc241.pdf](http://nrs.fs.fed.us/pubs/gtr/gtr_nc241.pdf)
- U.S. Forest Service (USFS). 2011. Coordinated Resource Offering Protocol (CROP) Description, Evaluations, and Results [website]. U.S. Dept. of Agriculture, Forest Service, Washington, D.C. [http://www.forestsandrangelands.gov/Woody\\_Biomass/supply/CROP/index.shtml](http://www.forestsandrangelands.gov/Woody_Biomass/supply/CROP/index.shtml)
- Western Governors' Association (WGA). 2006. *Biomass Task Force Report: Supply Addendum*. Clean and Diversified Energy Initiative, Western Governors' Association, Denver, CO. 50 p. [http://www.westgov.org/index.php?option=com\\_joomdoc&task=doc\\_download&gid=93&Itemid=](http://www.westgov.org/index.php?option=com_joomdoc&task=doc_download&gid=93&Itemid=)
- \_\_\_\_\_. 2008. *Strategic Assessment of Bioenergy Development in the West: Biomass Resource Assessment and Supply Analysis for the WGA Region*. Transportation Fuels Initiative, Western Governors' Association, Denver, CO. 38 p. Available online at [http://www.westgov.org/index.php?option=com\\_joomdoc&task=doc\\_download&gid=213&Itemid=](http://www.westgov.org/index.php?option=com_joomdoc&task=doc_download&gid=213&Itemid=)

Forest biomass supply at roadside price of **\$10** per dry ton

County	Fire hazard thinning		Private land thinning	Logging residue		Unused mill residues	TOTAL
	Public	Private		Public	Private		
<b>Washington</b>							
Adams	0	0	0	441	0	0	441
Asotin	0	0	0	379	7,614	0	7,993
Benton	0	0	0	0	0	0	0
Chelan	0	0	2,629	1,130	4,966	0	8,725
Clallam	0	0	10,477	8,516	27,027	19,178	65,199
Clark	0	0	4,877	1,737	2,253	0	8,867
Columbia	0	1,319	1,254	0	0	0	2,573
Cowlitz	0	0	23,161	9,135	161,334	0	193,629
Douglas	0	0	0	0	0	0	0
Ferry	0	0	3,696	3,175	5,656	0	12,527
Franklin	0	0	0	0	0	0	0
Garfield	0	0	0	0	0	0	0
Grant	0	0	0	0	0	0	0
Grays Harbor	0	0	38,830	8,848	75,784	353	123,815
Island	0	0	0	0	43	0	43
Jefferson	0	0	7,619	3,361	21,061	0	32,042
King	0	0	71,130	1,260	6,741	0	79,132
Kitsap	0	0	6,754	0	0	0	6,754
Kittitas	0	0	1,090	0	0	0	1,090
Klickitat	83	900	0	1,627	679	0	3,289
Lewis	0	0	24,894	21,490	104,605	687	151,676
Lincoln	0	0	0	0	0	0	0
Mason	0	0	3,184	1,818	14,144	0	19,146
Okanogan	0	0	3,608	17,722	17,018	0	38,348
Pacific	0	0	10,752	266	6,967	0	17,984
Pend Oreille	0	0	0	0	0	0	0
Pierce	0	0	39,754	8,403	62,842	0	110,999
San Juan	0	0	3,188	0	0	0	3,188
Skagit	0	0	6,974	1,702	4,114	891	13,681
Skamania	0	0	4,467	5,525	12,827	0	22,819
Snohomish	0	0	8,045	14,263	23,953	329	46,591
Spokane	0	1,451	3,215	0	0	0	4,666
Stevens	0	0	0	17,108	68,680	0	85,788
Thurston	0	0	14,945	3,397	12,459	8	30,808
Wahkiakum	0	0	3,346	1	0	0	3,347
Walla Walla	0	0	0	0	0	0	0
Whatcom	0	0	1,031	618	1,101	0	2,750
Whitman	0	0	661	0	0	0	661
Yakima	0	4,425	0	17,153	31,956	0	53,535
<b>TOTAL</b>	<b>83</b>	<b>8,095</b>	<b>299,581</b>	<b>149,077</b>	<b>673,823</b>	<b>21,446</b>	<b>1,152,105</b>

Forest biomass supply at roadside price of **\$15** per dry ton

County	Fire hazard thinning		Private land thinning	Logging residue		Unused mill residues	TOTAL
	Public	Private		Public	Private		
<b>Washington</b>							
Adams	0	0	0	441	0	0	441
Asotin	0	0	0	379	7,614	0	7,993
Benton	0	0	0	0	0	0	0
Chelan	0	2,782	2,629	1,130	4,270	0	10,812
Clallam	0	0	18,799	8,516	24,947	19,178	71,441
Clark	0	0	8,007	1,737	1,470	0	11,214
Columbia	332	1,319	1,254	0	0	0	2,905
Cowlitz	0	0	24,320	9,135	161,044	0	194,499
Douglas	0	0	0	0	0	0	0
Ferry	1,803	3,428	6,262	2,724	4,157	0	18,374
Franklin	0	0	0	0	0	0	0
Garfield	0	0	0	0	0	0	0
Grant	0	0	0	0	0	0	0
Grays Harbor	0	0	45,364	8,848	74,150	353	128,715
Island	0	0	0	0	43	0	43
Jefferson	0	0	7,619	3,361	21,061	0	32,042
King	0	0	71,130	1,260	6,741	0	79,132
Kitsap	0	0	6,754	0	0	0	6,754
Kittitas	0	0	1,090	0	0	0	1,090
Klickitat	83	900	1,596	1,627	279	0	4,486
Lewis	0	0	24,894	21,490	104,605	687	151,676
Lincoln	0	0	0	0	0	0	0
Mason	0	0	22,104	1,818	9,414	0	33,335
Okanogan	0	0	3,608	17,722	17,018	0	38,348
Pacific	0	0	13,481	266	6,284	0	20,032
Pend Oreille	0	0	5,100	0	0	0	5,100
Pierce	0	0	57,541	8,403	58,395	0	124,339
San Juan	0	0	3,188	0	0	0	3,188
Skagit	0	0	20,479	1,702	738	891	23,809
Skamania	0	0	4,467	5,525	12,827	0	22,819
Snohomish	0	0	26,422	14,263	19,359	329	60,373
Spokane	0	2,991	3,215	0	0	0	6,206
Stevens	0	0	13,049	17,108	65,417	0	95,574
Thurston	0	0	33,931	3,397	7,712	8	45,048
Wahkiakum	0	0	3,934	1	0	0	3,934
Walla Walla	0	603	0	0	0	0	603
Whatcom	0	0	13,898	618	0	0	14,516
Whitman	0	0	661	0	0	0	661
Yakima	935	4,425	752	16,920	31,768	0	54,800
<b>TOTAL</b>	<b>3,153</b>	<b>16,447</b>	<b>445,546</b>	<b>148,393</b>	<b>639,317</b>	<b>21,446</b>	<b>1,274,302</b>

Forest biomass supply at roadside price of **\$20** per dry ton

County	Fire hazard thinning		Private land thinning	Logging residue		Unused mill residues	TOTAL
	Public	Private		Public	Private		
<b>Washington</b>							
Adams	0	0	0	441	0	0	441
Asotin	0	0	0	379	7,614	0	7,993
Benton	0	0	0	0	0	0	0
Chelan	11,094	2,782	2,629	0	4,270	0	20,776
Clallam	0	0	18,799	8,516	24,947	19,178	71,441
Clark	0	0	8,007	1,737	1,470	0	11,214
Columbia	646	1,319	1,254	0	0	0	3,219
Cowlitz	0	0	24,320	9,135	161,044	0	194,499
Douglas	0	0	0	0	0	0	0
Ferry	1,803	15,088	6,262	2,724	1,242	0	27,120
Franklin	0	0	0	0	0	0	0
Garfield	0	0	0	0	0	0	0
Grant	0	0	0	0	0	0	0
Grays Harbor	0	0	45,364	8,848	74,150	353	128,715
Island	0	0	948	0	0	0	948
Jefferson	0	0	7,896	3,361	20,992	0	32,249
King	0	0	71,130	1,260	6,741	0	79,132
Kitsap	0	0	11,528	0	0	0	11,528
Kittitas	2,072	7,066	1,090	0	0	0	10,228
Klickitat	11,488	1,850	1,596	0	42	0	14,976
Lewis	0	0	27,293	21,490	104,006	687	153,476
Lincoln	0	0	0	0	0	0	0
Mason	0	0	22,104	1,818	9,414	0	33,335
Okanogan	5,136	9,636	3,608	16,438	14,609	0	49,427
Pacific	0	0	13,481	266	6,284	0	20,032
Pend Oreille	0	0	5,100	0	0	0	5,100
Pierce	0	0	57,541	8,403	58,395	0	124,339
San Juan	0	0	3,188	0	0	0	3,188
Skagit	0	0	20,479	1,702	738	891	23,809
Skamania	0	0	4,467	5,525	12,827	0	22,819
Snohomish	0	0	26,422	14,263	19,359	329	60,373
Spokane	5,797	17,449	3,215	0	0	0	26,461
Stevens	2,387	6,322	13,049	16,511	63,837	0	102,106
Thurston	0	0	33,931	3,397	7,712	8	45,048
Wahkiakum	0	0	3,934	1	0	0	3,934
Walla Walla	0	603	0	0	0	0	603
Whatcom	0	0	13,898	618	0	0	14,516
Whitman	0	0	661	0	0	0	661
Yakima	935	6,350	1,564	16,920	31,084	0	56,853
<b>TOTAL</b>	<b>41,359</b>	<b>68,463</b>	<b>454,756</b>	<b>143,754</b>	<b>630,780</b>	<b>21,446</b>	<b>1,360,558</b>

Forest biomass supply at roadside price of **\$25** per dry ton

County	Fire hazard thinning		Private land thinning	Logging residue		Unused mill residues	TOTAL
	Public	Private		Public	Private		
<b>Washington</b>							
Adams	0	0	0	441	0	0	441
Asotin	0	0	0	379	7,614	0	7,993
Benton	0	0	0	0	0	0	0
Chelan	11,094	5,951	2,629	0	3,478	0	23,152
Clallam	3,159	0	18,799	7,727	24,947	19,178	73,810
Clark	0	0	8,007	1,737	1,470	0	11,214
Columbia	646	1,319	1,254	0	0	0	3,219
Cowlitz	0	0	24,320	9,135	161,044	0	194,499
Douglas	0	0	0	0	0	0	0
Ferry	7,390	21,046	6,262	1,327	0	0	36,026
Franklin	0	0	0	0	0	0	0
Garfield	0	0	0	0	0	0	0
Grant	0	0	0	0	0	0	0
Grays Harbor	0	0	45,364	8,848	74,150	353	128,715
Island	0	0	948	0	0	0	948
Jefferson	0	0	7,896	3,361	20,992	0	32,249
King	0	0	71,130	1,260	6,741	0	79,132
Kitsap	0	0	11,528	0	0	0	11,528
Kittitas	7,492	20,330	1,090	0	0	0	28,913
Klickitat	11,488	17,197	1,596	0	0	0	30,281
Lewis	0	0	27,937	21,490	103,844	687	153,959
Lincoln	0	0	0	0	0	0	0
Mason	0	0	22,104	1,818	9,414	0	33,335
Okanogan	11,102	16,344	3,608	14,946	12,932	0	58,933
Pacific	0	0	13,481	266	6,284	0	20,032
Pend Oreille	0	10,193	5,100	0	0	0	15,293
Pierce	0	0	57,541	8,403	58,395	0	124,339
San Juan	0	0	3,188	0	0	0	3,188
Skagit	0	0	20,479	1,702	738	891	23,809
Skamania	0	0	4,467	5,525	12,827	0	22,819
Snohomish	0	0	26,422	14,263	19,359	329	60,373
Spokane	6,087	17,449	3,215	0	0	0	26,751
Stevens	20,475	36,191	13,049	11,989	56,370	0	138,074
Thurston	0	0	33,931	3,397	7,712	8	45,048
Wahkiakum	0	0	3,934	1	0	0	3,934
Walla Walla	0	603	0	0	0	0	603
Whatcom	0	0	13,898	618	0	0	14,516
Whitman	0	0	661	0	0	0	661
Yakima	4,091	6,350	1,564	16,131	31,084	0	59,220
<b>TOTAL</b>	<b>83,025</b>	<b>152,973</b>	<b>455,400</b>	<b>134,765</b>	<b>619,398</b>	<b>21,446</b>	<b>1,467,007</b>

Forest biomass supply at roadside price of **\$30** per dry ton

County	Fire hazard thinning			Logging residue		Unused mill residues	TOTAL
	Public	Private	Private land thinning	Public	Private		
<b>Washington</b>							
Adams	0	0	0	441	0	0	441
Asotin	0	0	0	379	7,614	0	7,993
Benton	0	0	0	0	0	0	0
Chelan	11,094	5,951	2,629	0	3,478	0	23,152
Clallam	3,159	0	21,126	7,727	24,365	19,178	75,554
Clark	0	0	8,007	1,737	1,470	0	11,214
Columbia	646	1,319	1,254	0	0	0	3,219
Cowlitz	0	0	24,320	9,135	161,044	0	194,499
Douglas	0	0	0	0	0	0	0
Ferry	7,390	21,046	6,262	1,327	0	0	36,026
Franklin	0	0	0	0	0	0	0
Garfield	0	0	0	0	0	0	0
Grant	0	0	0	0	0	0	0
Grays Harbor	0	0	45,364	8,848	74,150	353	128,715
Island	0	0	948	0	0	0	948
Jefferson	0	0	7,896	3,361	20,992	0	32,249
King	0	0	71,130	1,260	6,741	0	79,132
Kitsap	0	0	11,528	0	0	0	11,528
Kittitas	7,492	20,330	1,090	0	0	0	28,913
Klickitat	11,488	17,197	1,596	0	0	0	30,281
Lewis	0	0	27,937	21,490	103,844	687	153,959
Lincoln	0	0	973	0	0	0	973
Mason	0	0	22,104	1,818	9,414	0	33,335
Okanogan	19,918	20,306	3,608	12,742	11,942	0	68,516
Pacific	0	0	13,481	266	6,284	0	20,032
Pend Oreille	26,152	10,193	5,100	0	0	0	41,445
Pierce	0	0	57,541	8,403	58,395	0	124,339
San Juan	0	0	3,188	0	0	0	3,188
Skagit	0	0	20,479	1,702	738	891	23,809
Skamania	0	0	4,467	5,525	12,827	0	22,819
Snohomish	7,780	0	26,422	12,318	19,359	329	66,208
Spokane	6,546	17,449	3,215	0	0	0	27,210
Stevens	21,803	36,191	13,049	11,657	56,370	0	139,070
Thurston	0	0	33,931	3,397	7,712	8	45,048
Wahkiakum	0	0	3,934	1	0	0	3,934
Walla Walla	0	603	0	0	0	0	603
Whatcom	0	0	13,898	618	0	0	14,516
Whitman	0	0	661	0	0	0	661
Yakima	8,127	8,385	1,564	15,122	30,575	0	63,772
<b>TOTAL</b>	<b>131,595</b>	<b>158,969</b>	<b>458,699</b>	<b>129,275</b>	<b>617,317</b>	<b>21,446</b>	<b>1,517,302</b>

Forest biomass supply at roadside price of **\$35** per dry ton

County	Fire hazard thinning			Logging residue		Unused mill residues	TOTAL
	Public	Private	Private land thinning	Public	Private		
<b>Washington</b>							
Adams	0	0	0	441	0	0	441
Asotin	0	0	0	379	7,614	0	7,993
Benton	0	0	0	0	0	0	0
Chelan	11,094	5,951	2,629	0	3,478	0	23,152
Clallam	3,159	0	21,126	7,727	24,365	19,178	75,554
Clark	0	0	8,007	1,737	1,470	0	11,214
Columbia	646	1,319	1,254	0	0	0	3,219
Cowlitz	450	0	24,320	9,022	161,044	0	194,836
Douglas	0	0	0	0	0	0	0
Ferry	9,840	21,046	6,262	715	0	0	37,863
Franklin	0	0	0	0	0	0	0
Garfield	1,512	0	0	0	0	0	1,512
Grant	0	0	0	0	0	0	0
Grays Harbor	4,486	0	45,364	7,726	74,150	353	132,080
Island	0	0	948	0	0	0	948
Jefferson	0	0	7,896	3,361	20,992	0	32,249
King	0	0	71,130	1,260	6,741	0	79,132
Kitsap	0	0	11,528	0	0	0	11,528
Kittitas	10,341	20,330	1,090	0	0	0	31,761
Klickitat	11,488	17,197	1,596	0	0	0	30,281
Lewis	7,975	0	27,937	19,497	103,844	687	159,941
Lincoln	0	0	973	0	0	0	973
Mason	0	0	22,104	1,818	9,414	0	33,335
Okanogan	19,918	20,306	3,608	12,742	11,942	0	68,516
Pacific	0	0	13,481	266	6,284	0	20,032
Pend Oreille	29,479	17,706	5,100	0	0	0	52,284
Pierce	0	0	57,541	8,403	58,395	0	124,339
San Juan	0	0	3,188	0	0	0	3,188
Skagit	0	0	20,479	1,702	738	891	23,809
Skamania	0	0	4,467	5,525	12,827	0	22,819
Snohomish	7,780	0	26,422	12,318	19,359	329	66,208
Spokane	6,546	17,449	3,215	0	0	0	27,210
Stevens	21,803	44,629	13,049	11,657	54,260	0	145,398
Thurston	0	0	33,931	3,397	7,712	8	45,048
Wahkiakum	0	0	3,934	1	0	0	3,934
Walla Walla	0	603	0	0	0	0	603
Whatcom	0	0	13,898	618	0	0	14,516
Whitman	0	0	661	0	0	0	661
Yakima	8,127	8,385	1,564	15,122	30,575	0	63,772
<b>TOTAL</b>	<b>154,643</b>	<b>174,919</b>	<b>458,699</b>	<b>125,435</b>	<b>615,207</b>	<b>21,446</b>	<b>1,550,350</b>

Forest biomass supply at roadside price of **\$40** per dry ton

County	Fire hazard thinning		Private land thinning	Logging residue		Unused mill residues	TOTAL
	Public	Private		Public	Private		
<b>Washington</b>							
Adams	0	0	0	441	0	0	441
Asotin	0	0	0	379	7,614	0	7,993
Benton	0	0	0	0	0	0	0
Chelan	27,766	5,951	2,629	0	3,478	0	39,824
Clallam	7,352	0	21,126	6,678	24,365	19,178	78,699
Clark	0	0	8,007	1,737	1,470	0	11,214
Columbia	5,528	1,319	1,254	0	0	0	8,101
Cowlitz	450	0	24,320	9,022	161,044	0	194,836
Douglas	0	0	0	0	0	0	0
Ferry	9,840	21,046	6,262	715	0	0	37,863
Franklin	0	0	0	0	0	0	0
Garfield	1,512	0	0	0	0	0	1,512
Grant	0	0	0	0	0	0	0
Grays Harbor	7,018	0	45,364	7,093	74,150	353	133,979
Island	0	0	948	0	0	0	948
Jefferson	0	0	7,896	3,361	20,992	0	32,249
King	0	0	71,130	1,260	6,741	0	79,132
Kitsap	0	0	11,528	0	0	0	11,528
Kittitas	10,537	26,415	1,090	0	0	0	38,042
Klickitat	11,488	17,197	1,596	0	0	0	30,281
Lewis	7,975	0	27,937	19,497	103,844	687	159,941
Lincoln	0	0	973	0	0	0	973
Mason	2,802	0	22,104	1,117	9,414	0	35,437
Okanogan	19,918	24,078	3,608	12,742	10,999	0	71,345
Pacific	0	0	13,481	266	6,284	0	20,032
Pend Oreille	29,479	17,706	5,100	0	0	0	52,284
Pierce	0	0	57,541	8,403	58,395	0	124,339
San Juan	0	0	3,188	0	0	0	3,188
Skagit	10,903	0	20,479	0	738	891	33,010
Skamania	0	0	4,467	5,525	12,827	0	22,819
Snohomish	7,780	0	26,422	12,318	19,359	329	66,208
Spokane	6,546	17,449	3,215	0	0	0	27,210
Stevens	25,734	46,284	13,049	10,675	53,846	0	149,588
Thurston	0	0	33,931	3,397	7,712	8	45,048
Wahkiakum	0	0	3,934	1	0	0	3,934
Walla Walla	0	603	0	0	0	0	603
Whatcom	4,464	0	13,898	0	0	0	18,362
Whitman	0	0	661	0	0	0	661
Yakima	9,682	8,385	1,564	14,733	30,575	0	64,938
<b>TOTAL</b>	<b>206,774</b>	<b>186,431</b>	<b>458,699</b>	<b>119,362</b>	<b>613,851</b>	<b>21,446</b>	<b>1,606,562</b>